


Meltric Part Numbering...



First seven (7) digits for a basic inlet or receptacle part number

One (1) to six (6) suffixes for special features



| Meltric Product Line Type and Casing Material | AMP (A) Rating | | Form and Mounting | Voltage Polarization | | | Phasing |
|---|---|--|--|--|--|---|---------|
| | Position | Voltage | | Hz | | | |
| PN 01 = Blue Poly 09 = Blue Metal DN 19 = Blue Metal 39 = Blue Metal DXN 22 = Black Poly DX 26 = Gray Metal DS 33 = Blue Poly 35 = Black Poly 37 = Blue Metal DR 31 = Blue Poly 35 = Black Poly 39 = Blue Metal PF 49 = Gray Metal PFQ 47 = Gray Metal DSN 63 = Blue Poly 65 = Black Poly DB 89 = Blue Metal | PN N = 20 (IP66+67) S = 20 (IP54/55) 2 = 20 3 = 30 DN 1 = 20* 3 = 50* 6 = 90* 9 = 150* DXN 1 = 20 3 = 30 6 = 60 DX 2 = 20 3 = 30 6 = 60 9 = 100 DS 1 = 20 3 = 30 6 = 60 9 = 100 * Available in metal only | DR 1 = 30 3 = 50 6 = 100 9 = 150 2 = 250* PF 3 = 300* 4 = 400* 6 = 600* PFQ 3 = 300* DSN 1 = 20 3 = 30 6 = 60 DB 3 = 30* 6 = 60* 9 = 100* | Female 4 = Receptacle Male 8 = Inlet DX Only Female 0 = Receptacle on box 3 = Connector 4 = Receptacle Male 1 = Plug 6 = Inlet on Box | 01 = $\frac{220}{380}$ / $\frac{250}{440}$ 02 = 20/24 03 = $\frac{110}{190}$ / $\frac{130}{230}$ 04 = $\frac{255}{440}$ / $\frac{277}{480}$ 06 = 25/28 07 = $\frac{110}{220}$ / $\frac{125}{250}$ 08 = 20/24 09 = 480/500 10 = 110/130 11 = $\frac{115}{200}$ / $\frac{127}{220}$ 12 = $\frac{115}{200}$ / $\frac{127}{220}$ 13 = 40/48 14 = 347/600 16 = $\frac{120}{208}$ / $\frac{127}{220}$ 17* = $\frac{110}{220}$ / $\frac{125}{250}$ 18* = 347/600 19 = $\frac{380}{660}$ / $\frac{440}{690}$ 20 = 220/250 22 = 1000 23* = $\frac{120}{208}$ / $\frac{127}{220}$ 24* = $\frac{255}{440}$ / $\frac{277}{480}$ | 50 60/DC 50 60 50/DC 60 50/DC 50 DC 400 200 50/DC 60 60 60 50 DC 50 60 60 | AC 2 = 2P+E AC 3 = 3P+E AC 5 = 1P+N+E AC 6 = 2P+N+E AC 7 = 3P+N+E AC A+ = 2P AC B+ = 3P AC C+ = 3P+N AC D+ = 1P+N AC G = 2P+N AC DC 9 = 2P+E DC Z* = 2P DC * For 50V or less only | |

* For DS100C and DR devices

Note: On metal devices, plugs are not painted, receptacles are painted.


Note: This is the Keying Standard for Meltric products. Suffixes are available to accommodate non-interchangeable devices of the same size at the same voltage. Please ask for more details.

...and Ordering Guide




A MODULAR SYSTEM


Meltric products are ordered and assembled in a modular fashion. Customers should select the desired male inlet and female receptacle part numbers. Then matching accessories such as handles, angles, and junction boxes should be identified and added to the order to create plugs, connectors, or other configurations. This modular system allows Meltric to build and ship product to customer specifications in a very short time - 90% of orders ship by the next business day.







EXAMPLE



EXAMPLE



TYPICAL ORDER

-  63-34047 Female Receptacle
-  61-3A027 Angle Adapter for Female
-  63-38047 Male Inlet
-  61-3A013 Handle for Male